




LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
FT	8				
	F	REDRAWN W/O CHANGE PER EC 0020-291-96	15 APR 97	-	-
	F1	REVISED PER ECO-09-020935	09SEP09	KK	AEG

- ⚠ 5.08 μ m[.000200] MIN NICKEL.
- ⚠ CABLE CLAMP WILL ACCEPT 26 WIRES OF Φ 1.65[.065] MAX.
- ⚠ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



ASSEMBLED VIEW



CABLE CLAMP
 MATERIAL: CARBON STEEL
 FINISH: ⚠
 2 EA

SCREW, #4-40 UNC x 9.52[.375] LG
 MATERIAL: CARBON STEEL
 FINISH: ZINC
 2 EA

SCREW, #4-40 UNC x 4.78[.188] LG
 MATERIAL: STAINLESS STEEL
 FINISH: PASSIVATED
 2 EA

SHIELD HALF
 MATERIAL: SEE TABLE
 FINISH: SEE TABLE
 2 EA

⚠	⚠	CARBON STEEL	201576-2
⚠	⚠	ALUMINUM	201576-1
		SHIELD FINISH	PART NUMBER
		SHIELD MATERIAL	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.OBERMAN 15 APR 97	AMP Incorporated Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK R.STONE 06 AUG 96	NAME SHIELD KIT, UNASSEMBLED, LONG, 26 PLACE, M SERIES	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G.STEINHAUER 21 JAN 97	SIZE A2	CAGE CODE 00779
0 PLC ±-	1 PLC ±-	PRODUCT SPEC	DRAWING NO C-201576	RESTRICTED TO
2 PLC ±0.38 [.015]	3 PLC ±-	APPLICATION SPEC	SCALE 2:1	SHEET 1 OF 1
4 PLC ±-	ANGLES ±-	WEIGHT	REV f1	
MATERIAL SEE CALLOUT	FINISH SEE CALLOUT	CUSTOMER DRAWING		